

**PIEDMONT TRIAD AIRPORT AUTHORITY**

**RESIDENTIAL SOUND INSULATION PROGRAM (RSIP)**

**PHASE 7**

**ADDENDUM NO. 5**

**A. Postponement in Date and Time for Submission of Bids and Bid Opening.**

The date and time for submission of bids and the bid opening are postponed to **March 15, 2019 at 10:00 a.m.**

**B. Revisions to Project Manual.**

The following revisions are made to the Project Manual, as revised by previous Addenda:

1. The Notice to Bidders and Section 6 of the Instructions to Bidders are each revised by deleting "March 12, 2019" as provided in Addendum No. 2 and substituting "March 15, 2019."

2. In Article IX of the General Specifications, under the section headed "Acoustical Storm Window Units," as revised by Addendum No. 3, add the following to item b:

"Operating force for initiating and maintaining motion of window sashes shall not exceed the applicable operating force limits for Class R windows specified by the American Architectural Manufacturer's Association in AAMA/WDMA/CSA 101/1.S.2/A440-17."

3. Add the following at the end of Article IX-B of the General Specifications:

"In addition to complying with the specifications of this Article IX, each acoustical storm window and storm door must meet any applicable code requirements that are more stringent than these specifications or that are not provided for herein."

Issued: 3/8/19

PIEDMONT TRIAD AIRPORT AUTHORITY